

GLOSSY



VINYL



300-320°F



PEEL : COLD



Flex Blade 45°
Medium Pressure



140- 160 µm



20 Sec

SPECIFICATIONS

THICKNESS:  Vinyl 140 - 160 microns

CARRIER: Non-Adhesive & Transparent polyester

APPLICATION

1. Cut the material in reverse with a Flex regular blade
2. Weed the excess material
3. Heat press on the garment at 300-320°F & Protect the polyester carrier with silicone paper 20 sec - medium pressure
4. Peel the carrier off when cold



APPLIES ON

Cotton • Polyester • Acrylic & Similar Fibres

CARE & MAINTENANCE

- Always respect the garment's instructions
- Allow 24 hours after application before washing
- Iron the backside only

WASH

- Max 140° F
- Preferably inside out
- Do not bleach
- Tumble-dry approved
- Dry-cleaning unapproved

STORE

- Up to 1 year
- In a dry room (60-85°F)
- Away from sunlight In
- vertical position


Heat transfers for textiles

NOTE: For best results, it is recommended to TEST prior to starting standard production